


CREATIVE INFINITE CRAFTSMAN QUALITY

SZERO DISTANCER
COOPERATION IN TEAMS





Foshan MO-Lighting Co., Ltd



MAGNETIC GRILLE LIGHT

6W/12W/18W/24W/30W/36W



Phone/WhatsApp: +86 13925474440
Email: sales@mo-lighting.com
Website: <https://www.mo-lighting.com/>




Foahn MO-Lighting Co., Ltd



DTGS20-110

WHITE BLACK

Dimension



PRODUCT PARAMETER


| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|------------|
| DTGS20-110 | 48V | 6W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 24° |



DTGS20-220

WHITE BLACK

Dimension



PRODUCT PARAMETER

| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|------------|
| DTGS20-220 | 48V | 12W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 24° |

Phone/WhatsApp: +86 13925474440
 Email:sales@mo-lighting.com
 Website:https://www.mo-lighting.com/




Foahn MO-Lighting Co., Ltd



DTGS20-350

WHITE BLACK

Dimension



PRODUCT PARAMETER


| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|------------|
| DTGS20-350 | 48V | 18W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 24° |



DTGS20-450

WHITE BLACK

Dimension



PRODUCT PARAMETER

| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|------------|
| DTGS20-450 | 48V | 24W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 24° |

Phone/WhatsApp: +86 13925474440
 Email:sales@mo-lighting.com
 Website:https://www.mo-lighting.com/




Foahn MO-Lighting Co., Ltd



DTGS20-550

WHITE BLACK

Dimension



PRODUCT PARAMETER


| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|------------|
| DTGS20-550 | 48V | 30W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 24° |



DTGS20-650

WHITE BLACK

Dimension



PRODUCT PARAMETER

| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|------------|
| DTGS20-650 | 48V | 36W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 24° |

Phone/WhatsApp: +86 13925474440
 Email:sales@mo-lighting.com
 Website:https://www.mo-lighting.com/



MAGNETIC FLOOD LIGHT

6W/12W/18W/24W/30W/36W/10W/20W



OSRAM



120°
BEAM ANGLE

Phone/WhatsApp: +86 13925474440
Email: sales@mo-lighting.com
Website: <https://www.mo-lighting.com/>




Foahn MO-Lighting Co., Ltd



DTFG20-110

WHITE BLACK

Dimension



PRODUCT PARAMETER


| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|------------|
| DTFG20-110 | 48V | 6W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 120° |



DTFG20-220

WHITE BLACK

Dimension



PRODUCT PARAMETER

| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|------------|
| DTFG20-220 | 48V | 12W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 120° |

Phone/WhatsApp: +86 13925474440
 Email:sales@mo-lighting.com
 Website:https://www.mo-lighting.com/




Foahn MO-Lighting Co., Ltd



DTFG20-350

WHITE BLACK

Dimension



PRODUCT PARAMETER


| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|------------|
| DTFG20-350 | 48V | 18W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 120° |



DTFG20-450

WHITE BLACK

Dimension



PRODUCT PARAMETER

| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|------------|
| DTFG20-450 | 48V | 24W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 120° |

Phone/WhatsApp: +86 13925474440
 Email:sales@mo-lighting.com
 Website:https://www.mo-lighting.com/




Foahn MO-Lighting Co., Ltd



DTFG20-550

WHITE BLACK

Dimension



PRODUCT PARAMETER


| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|------------|
| DTFG20-550 | 48V | 30W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 120° |



DTFG20-650

WHITE BLACK

Dimension



PRODUCT PARAMETER

| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|------------|
| DTFG20-650 | 48V | 36W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 120° |

Phone/WhatsApp: +86 13925474440
 Email:sales@mo-lighting.com
 Website:https://www.mo-lighting.com/




Foahn MO-Lighting Co., Ltd



DTFG20-300

WHITE BLACK

Dimension



PRODUCT PARAMETER


| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|------------|
| DTFG20-300 | 48V | 10W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 120° |



DTFG20-600

WHITE BLACK

Dimension



PRODUCT PARAMETER

| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|------------|
| DTFG20-600 | 48V | 20W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 120° |

Phone/WhatsApp: +86 13925474440
 Email:sales@mo-lighting.com
 Website:https://www.mo-lighting.com/



Foahn MO-Lighting Co., Ltd



MAGNETIC FOLDING LIGHT

6W/12W/18W/24W



OSRAM



24°
BEAM ANGLE

Phone/WhatsApp: +86 13925474440

Email:sales@mo-lighting.com

Website:https://www.mo-lighting.com/




Foahn MO-Lighting Co., Ltd



DTZD301-6

WHITE BLACK

Dimension



PRODUCT PARAMETER


| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|-----------|-------|-------|-------|------|-------------------|------------|
| DTZD301-6 | 48V | 6W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 24° |



DTZD301-12

WHITE BLACK

Dimension



PRODUCT PARAMETER

| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|------------|
| DTZD301-12 | 48V | 12W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 24° |

Phone/WhatsApp: +86 13925474440
 Email:sales@mo-lighting.com
 Website:https://www.mo-lighting.com/




Foahn MO-Lighting Co., Ltd



DTZD301-18

WHITE BLACK

Dimension



PRODUCT PARAMETER


| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|------------|
| DTZD301-18 | 48V | 18W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 24° |



DTZD301-24

WHITE BLACK

Dimension




PRODUCT PARAMETER

| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|------------|
| DTZD301-24 | 48V | 24W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 24° |

Phone/WhatsApp: +86 13925474440
 Email:sales@mo-lighting.com
 Website:https://www.mo-lighting.com/




Foahn MO-Lighting Co., Ltd



DTZD300-6

WHITE BLACK

Dimension



PRODUCT PARAMETER


| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|-----------|-------|-------|-------|------|-------------------|------------|
| DTZD300-6 | 48V | 6W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 120° |



DTZD300-12

WHITE BLACK

Dimension



PRODUCT PARAMETER

| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|------------|
| DTZD300-12 | 48V | 12W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 120° |

Phone/WhatsApp: +86 13925474440
 Email:sales@mo-lighting.com
 Website:https://www.mo-lighting.com/




Foahn MO-Lighting Co., Ltd



DTZD300-18

WHITE BLACK

Dimension



PRODUCT PARAMETER


| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|------------|
| DTZD300-18 | 48V | 18W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 120° |



DTZD300-24

WHITE BLACK

Dimension



PRODUCT PARAMETER

| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|------------|
| DTZD300-24 | 48V | 24W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 120° |

Phone/WhatsApp: +86 13925474440
 Email:sales@mo-lighting.com
 Website:https://www.mo-lighting.com/




Foahen MO-Lighting Co., Ltd



DTZD201-6

WHITE BLACK

Dimension



PRODUCT PARAMETER


| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|-----------|-------|-------|-------|------|-------------------|------------|
| DTZD201-6 | 48V | 6W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 24° |



DTZD201-12

WHITE BLACK

Dimension



PRODUCT PARAMETER

| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|------------|
| DTZD201-12 | 48V | 12W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 24° |

Phone/WhatsApp: +86 13925474440
 Email:sales@mo-lighting.com
 Website:https://www.mo-lighting.com/



Foahn MO-Lighting Co., Ltd



MAGNETIC SPOT LIGHT

10W/20W/30W/35W



OSRAM



12°/24°/36°
BEAM ANGLE


Phone/WhatsApp: +86 13925474440
Email:sales@mo-lighting.com
Website:<https://www.mo-lighting.com/>



DTGD501-10

WHITE BLACK

Dimension



PRODUCT PARAMETER


| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|---------------|
| DTGD501-10 | 48V | 10W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 15° /24° /36° |



DTGD501-20

WHITE BLACK

Dimension



PRODUCT PARAMETER

| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|---------------|
| DTGD501-20 | 48V | 20W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 15° /24° /36° |

Phone/WhatsApp: +86 13925474440
 Email:sales@mo-lighting.com
 Website:https://www.mo-lighting.com/




Foohan MO-Lighting Co., Ltd



DTGD501-30

WHITE BLACK

Dimension



PRODUCT PARAMETER


| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|---------------|
| DTGD501-30 | 48V | 30W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 15° /24° /36° |



DTGD501-35

WHITE BLACK

Dimension



PRODUCT PARAMETER

| Model NO. | Input | Power | LEDs | CRI | CCT | Beam Angle |
|------------|-------|-------|-------|------|-------------------|---------------|
| DTGD501-35 | 48V | 35W | OSRAM | ≥ 90 | 3000K,4000K,6000K | 15° /24° /36° |

Phone/WhatsApp: +86 13925474440
 Email:sales@mo-lighting.com
 Website:https://www.mo-lighting.com/



Foahn MO-Lighting Co., Ltd



MAGNETIC SUSPENSION LIGHT

10W/20W/24W/30W/35W



OSRAM



15°/24°/36°
BEAM ANGLE


Phone/WhatsApp: +86 13925474440

Email:sales@mo-lighting.com

Website:https://www.mo-lighting.com/



Dimension


**DTD92-24**
 WHITE

 BLACK
PRODUCT PARAMETER

| | |
|------------|-------------------|
| Model NO. | DTD92-24 |
| Input | 48V |
| Power | 24W |
| LEDs | OSRAM |
| CRI | ≥ 90 |
| CCT | 3000K,4000K,6000K |
| Beam Angle | 15° /24° /36° |



Dimension

**DTDX502-10**


□ WHITE ■ BLACK

PRODUCT PARAMETER

| | |
|------------|-------------------|
| Model NO. | DTDX502-10 |
| Input | 48V |
| Power | 10W |
| LEDs | OSRAM |
| CRI | ≥ 90 |
| CCT | 3000K,4000K,6000K |
| Beam Angle | 15° /24° /36° |



Dimension

**DTDX502-20**

□ WHITE ■ BLACK


PRODUCT PARAMETER

| | |
|------------|-------------------|
| Model NO. | DTDX502-20 |
| Input | 48V |
| Power | 20W |
| LEDs | OSRAM |
| CRI | ≥ 90 |
| CCT | 3000K,4000K,6000K |
| Beam Angle | 15° /24° /36° |



Foohan MO-Lighting Co., Ltd

Dimension

**DTDX502-30**

□ WHITE


■ BLACK

PRODUCT PARAMETER

| | |
|------------|-------------------|
| Model NO. | DTDX502-30 |
| Input | 48V |
| Power | 30W |
| LEDs | OSRAM |
| CRI | ≥ 90 |
| CCT | 3000K,4000K,6000K |
| Beam Angle | 15° /24° /36° |



Dimension


**DTDX502-35**

□ WHITE

■ BLACK

PRODUCT PARAMETER

| | |
|------------|-------------------|
| Model NO. | DTDX502-35 |
| Input | 48V |
| Power | 35W |
| LEDs | OSRAM |
| CRI | ≥ 90 |
| CCT | 3000K,4000K,6000K |
| Beam Angle | 115° /24° /36° |




Surface mounted track 明装轨道

■ BLACK

安装方式: 无边框嵌入式/明装/吊装

Installation Method: Frameless embedded /Surface mounted/ Hoisting



PRODUCT PARAMETER

| | |
|--------------|----------------------------|
| Model NO. | DTCX-M |
| Track Length | 100cm, 150cm, 200cm, 300cm |
| Package | 9/Cartron/箱 |



DTCX-M-HL

Horizontal corner connector -for surface mounted track
水平转角-明装轨道


水平转角 90° 天花板转角使用



DTCX-M-VL

Vertical corner connector -for surface mounted track
垂直转角-明装轨道

垂直转角 90° 天花板与侧墙转角使用




Embedded pressure plate. 暗装轨道

■ BLACK

安装方式: 有边框嵌入式/暗装

Installation Method: Frame embedded / Embedded mounted



PRODUCT PARAMETER

| | |
|--------------|----------------------------|
| Model NO. | DTCX-A |
| Track Length | 100cm, 150cm, 200cm, 300cm |
| Package | 5/Cartron/箱 |



DTCX-A-HL

Horizontal corner connector--for embedded pressure plate.

水平转角-暗装轨道

水平转角 90° 天花板转角使用



DTCX-A-VL

Vertical corner connector -for embedded pressure plate

垂直转角-暗装轨道

垂直转角 90° 天花板与侧墙转角使用



Foahon MO-Lighting Co., Ltd



DTPC

Power Connector 磁吸直接头

两条轨道之间的连接通电模块
Conductive module between 2 tracks



DTCM

Input Conductive Module 磁吸电源取电模块

外置变压器连接此模块线的一端，模块塑料端连接进轨道，
使轨道形成48V低压

The wire side of the module connect the external switching power supply
and the box side connect into the track to form low voltage 48 V



DTFC-S

Flexible Connector (short) 磁吸软接头 (短线)

两条轨道之间的连接通电模块
conductive module connected between 2 tracks



DTFC-L

Flexible Connector (long) 磁吸软接头 (长线)

搭配90°转角使用，两条轨道之间的连接通电模块
conductive module connected between 2 tracks- used
with 90° corner connector



DTJC

Joint Connector 轨道连接加固件

两条轨道之间的拼接加固，使用于两条轨道的背部，通常明装轨道使用
Splicing reinforcement between two rails, used on the back of the two rails,
usually used for exposed rails



DTSW

Supporting wire for surface mounted 轨道明装吊线

明装轨道使用，使轨道能吊装，至少两条吊线同时使用方可实现吊装轨道
The use of surface-mounted rails enables the rails to be hoisted, and
at least two suspension wires are used at the same time to realize the
hoisting of the rails.

Phone/WhatsApp: +86 13925474440
Email:sales@mo-lighting.com
Website:https://www.mo-lighting.com/



Foahn MO-Lighting Co., Ltd



MV100W
MeanWell明纬 100W

48V变压器
DC48V Switching power supply



MV200W
MeanWell明纬 200W

48V变压器
DC48V Switching power supply

External Switching power supply
外置式变压器

输入电压:85-220V
Input voltage:85-220V
输出电压:48V
Output voltage: 48V
用于降压轨道条, 使轨道形成低压48V
Used to reduce the voltage and form a low voltage of the track

Tips注明提示

Total wattage of the lamps in the same track system can not higher than the switching power supply
同一条轨道系统所有的灯具总W数不能高于变压器的W数



IPS100W
Integrated power supply一体电源 100W

48V变压器
DC48V Switching power supply



IPS200W
Integrated power supply一体电源 200W

48V变压器
DC48V Switching power supply

Embedded track switching power supply
嵌入轨道式变压器

输入电压:85-220V:
Input voltage:85-220V
输出电压:48V
Output voltage: 48V
用于降压轨道条, 使轨道形成低压48V
Used to reduce the voltage and form a low voltage of the track

Tips注明提示

Total wattage of the lamps in the same track system can not higher than the switching power supply
同一条轨道系统所有的灯具总W数不能高于变压器的W数



SRC
Smart remote control 智能遥控器

需搭配智能灯具使用, 配灯具对码实施功能调光、调色等
Used with the smart lighting to conduct the dimming and changing cct function



SWCS
Smart wall control switch 智能面板器

需搭配智能灯具使用, 配灯具对码实施功能调光、调色等
Used with the smart lighting to conduct the dimming and changing cct function

Phone/WhatsApp: +86 13925474440
Email:sales@mo-lighting.com
Website:https://www.mo-lighting.com/